



# **Assessment of Existing Water Productivity and Cropping Intensity of Right Bank Canal Command of Samrat Ashok Sagar Project of Vidisha District, Madhya Pradesh, India**

**S. S. Basediya<sup>1\*</sup>, S. K. Pyasi<sup>1</sup>, Akhilesh Solanki<sup>1</sup>, Ashok Kumar<sup>1</sup>  
and R. N. Shrivastava<sup>1</sup>**

<sup>1</sup>*Department of Soil and Water Engineering, J. N. K. V. V. Jabalpur, India.*

## **Authors' contributions**

*This work was carried out in collaboration between all authors. Author SSB designed the study, performed the statistical analysis, wrote the protocol and wrote the first draft of the manuscript. Authors SKP and AS managed the analyses of the study. Author AK managed the literature searches. All authors read and approved the final manuscript.*

## **Article Information**

DOI: 10.9734/CJAST/2019/44185

### Editor(s):

(1) Dr. Ahmed Fawzy Yousef, Associate Professor, Department of Geology, Desert Research Center, Egypt.

### Reviewers:

(1) Mairton Gomes da Silva, Federal University of Recôncavo of Bahia (UFRB), Brazil.

(2) Miguel Aguilar Cortes, Universidad Autonoma Del Estado De Morelos, Mexico.

(3) R. K. Mathukia, Junagadh Agricultural University, India.

Complete Peer review History: <http://www.sdiarticle3.com/review-history/44185>

**Original Research Article**

**Received 27 July 2018**  
**Accepted 05 October 2018**  
**Published 09 February 2019**

## **ABSTRACT**

The existing water productivity and cropping intensity of right bank canal (RBC), command area was found 0.60 kg m<sup>-3</sup> and 163%, respectively. The right bank canal comprises of five water user association namely, Sarchampa, Ucher, Medaki, Sayar and Neemkheda whose existing cropping intensity was found to be 181, 149, 158, 177 and 172%, respectively. The cropping intensity of villages under study varies between 110 to 200%. It was also found that only six village, out of 55 villages were having cropping intensity less than 140%. On the higher side, only five villages were having cropping intensity of more than 190%. The lowest cropping intensity (115%) was found in Sunari village of Medaki water user association (WUA). The village had 245 ha net sown area in *rabi* season but very less net sown area (84 ha) in *kharif* season due to unavailability of water. Similarly,

\*Corresponding author: E-mail: [singh.shiv154@gmail.com](mailto:singh.shiv154@gmail.com);

less cropping intensity (118%) was found in Anouriberkhedi village, was having 264 ha net sown area out of 455 ha in *rabi* season and 272 ha net sown area out of 455 ha in *kharif* season. The total water supplied in  $M\ m^3$  excluding losses from RBC was collected from water resources department and the data on total production of wheat was collected from revenue record of Vidisha district to assess the existing water productivity. The existing water productivity of the command area was found to be  $0.60\ kg\ m^{-3}$  for *rabi* season.

**Keywords:** *Cropping intensity; water productivity; canal command area; water management; water user association.*

## 1. INTRODUCTION

Crop yields everywhere in the developing world are consistently higher in irrigated areas than in rainfed areas [1,2,3,4]. About 17% of the global agricultural land is irrigated contributing about 40% to the world's production of cereal crops [5]. A comprehensive review of World Bank-assisted irrigation projects during 1994-2004 [6] and a review of irrigation projects in Asia that received assistance from the International Water Management Institute [7] confirmed the significant role that irrigation plays in poverty reduction and economic growth. The impacts of irrigation on poverty reduction are both direct and indirect. Direct benefits of irrigation include higher farm productivity through crop yield increases and diversification of cropping patterns and crop technologies. These, in turn, result in higher household income, consumption and employment. To the extent that irrigation results in higher marketed surpluses and increased employment opportunities, it also indirectly benefits the landless through higher wages. Finally, irrigation may lead to lower food prices which are especially beneficial to the poor since they spend a disproportionately large share of their income on food.

Access to irrigation water is widely credited to be one of the major underlying factors for the substantial productivity gains obtained during the green revolution in Asia in the 1960 and 1970s [8,9]. In light of the recent rises in food prices and increasing demand for non-agricultural use of land, raising agricultural productivity is more important than ever. Will improvements in irrigation be able to contribute to further gains in crop productivity? If so, to what extent and how can we maximise the potential of irrigation? Some recent studies based on regional or state level data suggest that further investments in irrigation would make only a moderate contribution to agricultural production and agricultural gross domestic production (GDP). At the same time, however, others claim that the

economic gains from further improvements in irrigation are potentially large [3,10,11,12,13]. There exist a large number of reports and research papers that analyse the economic impact of irrigation. However, the issues being analysed as well as the data and methods being used suffer from various limitations including aggregation bias, small sample problems and inability to establish the true causal relationship between irrigation and impact of irrigation.

According to Bharadwaj [14], irrigation can raise the productivity of land in three ways: by making multiple cropping, by increasing the yield per unit cost and by making the production of more lucrative crops. The objective of irrigation is to increase the productivity of crops. The irrigation water supply becomes a critical input in the agricultural production process. It enables and encourages farmers to invest in other inputs like HYV seeds, fertilisers etc., all of which increase productivity [15]. India's irrigation policy aimed at the single objective of maximising the production of food and other crops to attain self-sufficiency. This objective could be attained by making massive investments in irrigation only on those areas where the possibilities of producing crops are maximum per unit of water [16]. A policy of extensive irrigation with surface water is potentially good for productivity, equity, stability and sustainability of Indian agriculture [17]. The extent of irrigation meets broad social objectives beyond those of increased production and incomes. The importance of irrigation is recognised for many crops, because the yield of irrigated crops is better than dry land or rainfed crops, not only in experimental fields but also in farmer's field [18]. Food production and productivity depend greatly on an assured supply of water. Yields per hectare obtained from irrigated cereals are on an average more than twice and often four times as high when compared to those on non-irrigated land [19]. Irrigation is a sure remedy for farm development. Irrigation projects generally endure themselves to agriculturists because they tend to promote

maximum yield per hectare a well understood and indeed, cherished goal. Irrigation thus provides farmers with a way to increase the productivity of their limited land significantly. The level of cropping intensity is determined by several factors. The most important factor is the availability of water from natural rainfall and or man-made resources irrigation.

Keeping above facts in mind it was desired to study the existing water productivity and cropping intensity of Samrat Ashok Sagar project for right bank canal command area to focus on review for increasing the water productivity and cropping intensity in RBC command area.

## 2. MATERIALS AND METHODS

### 2.1 Description of the Study Area

The study was conducted for the command area of right bank canal of Samrat Ashok Sagar, a major irrigation project located in Vidisha district of Madhya Pradesh, India. Its command area falls in parts of Vidisha and Raisen districts. The

dam is constructed on the Halali river, which is a tributary of Betwa river about 40 km from Bhopal. Command area of Samrat Ashok Sagar is located between on Longitude 77°33' E and Latitude 23°30' N, at an altitude of 426 m respectively, as shown in Fig. 1.

### 2.2 Characterization of the Irrigation Project

The project is based on catchment and gravity flow. The problems of farmer at tail end canal command area, because optimum water is not available. However, individual farmers use diesel and/or electric pump sets to lift water out of the canals. This project was commenced in the year 1977 to irrigate 25091 ha in *rabi* season. Irrigation in almost the entire command is done by the surface method. Irrigation water is applied by flooding from a channel located at the upper reach of a field. Farmers of RBC command used free flooding surface irrigation method. No specific design criterion is followed in this method of water application.




Fig. 1. Topographic map of the right bank canal command area

### 2.3 Data Acquisition and Calculations

With the help of the information collected from secondary sources, field visits were planned to conduct interviews with key informants and observations of the irrigation systems. The advice of an interdisciplinary team with backgrounds in soil science, agricultural engineering, agricultural economics, and agricultural extension was considered for further processes in the data collection and analysis. To characterise the command area information was collected from various sources regarding present irrigation system of command area, basic data related to crop, soil type, soil properties, irrigation water availability and rainfall. Assessment of water requirement of crops, discharge in the head, middle and tail reach of canal and its distributaries irrigation methods and irrigation schedule followed. Farmer's survey was conducted to understand their opinion regarding the irrigation system at present.

Data of gross cultivated area and net sown area (*rabi* and *kharif* season) of 55 villages of RBC command were collected from Tehsil office (Revenue Department), Vidisha district. Cropping intensity is defined as the ratio of the total cropped area in the year to the total cultivated area. This is also expressed in percentage.

Agricultural water productivity can be expressed either as a physical productivity in terms of yield per unit quantity of water consumed (tones per ha m of water or yield in kg per m<sup>3</sup> water consumed) in accordance with the scale of reference that includes or excludes the losses of water or an economic productivity replacing the yield term by the gross or net present value of the crop yield for the same water consumption.

Water productivity = Actual yield/actual water use

## 3. RESULTS AND DISCUSSION

To enhance the water productivity by adopting suitable surface irrigation methods and pressurized irrigation methods of right bank canal (RBC) command area it was necessary to study the existing water relies from reservoir and water productivity in its command area. Similarly, the increase in cropping intensity can be obtained by studying and analysing present cropping intensity.

### 3.1 Water Availability of RBC

The canal was in operation for 24 hours for 112 days. It was observed that the water availability

through the main canal decreases in tail reaches. The deficit of irrigation water was supplemented by the tube well water at the head, middle and tail end. The farmers were using tube well water mainly in the *rabi* season. Monthly water releases are presented in Table 1.

### 3.2 Existing Water Productivity in the Command Area

The total water supplied in M m<sup>3</sup> excluding losses from RBC was assess the existing water productivity. The existing water productivity of the command area was found to be 0.60 kg m<sup>-3</sup> for *rabi* season as shown in Table 2.

### 3.3 Existing Cropping Intensity

To determine the cropping intensity of canal command area covering all 55 villages, information of total area, area under different crops in *rabi* and *kharif* season was collected from revenue department and has been presented in the Table 3, the cropping intensity of command area varies from 115 to 196%.

### 3.4 Frequency Distribution of Cropping Intensity in Command Area

In order to obtained frequency distribution pattern, the cropping intensity was divided into ranges. It is also clear from Figure 2 that the cropping intensity of villages under study varies between 110 to 200%. It is also depicted from the table that only six villages, out of 55 villages were having cropping intensity less than 140%. On the higher side, only five villages were having cropping intensity more than 190%. The lowest cropping intensity (115%) was found in Sunari village of Medaki WUA. This village is having 245 ha net sown area in *rabi* season but very less net sown area (84 ha) in *kharif* season due to unavailability of water. Similarly less cropping intensity (118%) was found in Anouriberkhedi village. This village is having 264 ha net sown area out of 455 ha in *rabi* season and 272 ha net sown area out of 455 ha in *kharif* season.

The cropping intensity of four villages namely Sugnakhedi, Ratanpurgirdhari, Kanakhedakalan and Manchi fall in the range of 120-130% cropping intensity. All four villages have very less sown area in *kharif* 61, 49, 33 and 42%, respectively, on the other side the net sown area in *rabi* season is 78, 79, 96 and 88% for Sugnakhedi, Ratanpurgirdhari, Kanakhedakalan

and Manchi villages, respectively. In village which results in 300 ha net sown area out of 312 Kanakhedakalan 99% area is under irrigation ha cultural command area in *rabi* season.

**Table 1. Monthly water releases to RBC**

S. No.	Month	Volume of water released (M m <sup>3</sup> )
1	November	11051942.40
2	December	10912570.56
3	January	11726795.52
4	February	9282985.41
<b>Total</b>		<b>42.974294</b>

**Table 2. Wheat crop yield and productivity in RBC command area**

Name of WUAs	Cropped area (ha) in <i>rabi</i> season	Production (q ha <sup>-1</sup> )	Total Production (q)	Total water released from RBC (M m <sup>3</sup> )	Water productivity (kg m <sup>-3</sup> )
Sarchampa	1087	27.66	29959	42.974294	0.60
Ucher	3210	28	89687		
Medaki	1611	28	44959		
Sayar	1895	27	52299		
Neemkheda	1700	26	44261		
<b>Total</b>	<b>9503</b>		<b>261165</b>		

**Table 3. Existing cropping intensity of command area**

S. No.	Name of village	CCA	<i>rabi</i> season area (ha)	<i>kharif</i> season area (ha)	Total cropped area (ha)	Cropping Intensity (%)	Irrigated area (ha) by different sources	
							Canal	Tube well
1	Sunari	285.56	245.52	84.39	329.91	115.53	25	220.52
2	Anauri berkhedi	455.12	264.00	272.71	536.71	117.93	200.99	63.00
3	Kanakheda kalan	312.31	300.70	102.19	402.89	129.00	243.50	57.20
4	Ratanpur girdhari	214.36	168.50	104.81	273.31	127.50	126.50	42.00
5	Manchi	171.15	150.73	71.43	222.16	129.81	110.73	40.00
6	Suganakhedi	292.10	178.43	179.02	357.45	122.37	170.00	8.43
7	Nagori	124.24	110.43	54.83	165.26	133.02	66.43	44.00
8	Narauda	102.26	68.47	71.37	139.84	136.74	0.00	68.47
9	Firojpur	338.58	250.00	210.92	460.92	136.14	119.87	130.13
10	Uneeda	79.83	51.62	62.60	114.22	143.09	22.00	29.62
11	Airan	264.07	203.00	169.95	372.95	141.23	140.00	63.00
12	Rataltai	352.97	297.61	224.73	522.33	147.98	20.00	277.61
13	Sanchi	186.36	144.98	129.03	274.01	147.03	37.57	107.41
14	Medaki	463.92	418.70	257.90	676.60	145.85	349.00	69.70
15	sookhansen	104.13	85.62	68.43	154.04	147.93	60.00	25.62
16	Kamapar	266.96	233.56	155.41	388.97	145.70	200.56	33.00
17	Dargava	123.19	118.58	61.39	179.97	146.08	80.39	38.19
18	Moralikhedi	336.26	270.10	265.95	536.05	159.41	0.00	270.10
19	Chiroli	247.24	183.41	191.60	375.00	151.68	175.00	8.41
20	Fatehpur	314.74	282.00	215.62	497.62	158.11	159.33	122.67
21	Ucher	276.80	219.69	196.30	415.99	150.29	214.00	5.69
22	Nonakhedi	127.77	99.96	104.41	204.37	159.96	80.00	19.96
23	Khamkheda	251.44	233.56	155.41	388.97	154.70	15.00	218.56
24	Bansakheda	491.19	475.94	354.88	830.82	169.14	310.94	165.00
25	Gulgaonv	312.53	224.03	291.60	515.63	164.99	24.00	200.03
26	Madvai	415.97	352.23	328.76	681.00	163.71	300.00	52.23
27	Kachhi kanakheda	236.36	196.75	203.50	400.25	169.34	106.75	90.00

S. No.	Name of village	CCA	rabi season area (ha)	kharif season area (ha)	Total cropped area (ha)	Cropping Intensity (%)	Irrigated area (ha) by different sources	
							Canal	Tube well
28	Piparia khurd	96.51	78.94	84.74	163.68	169.60	40.98	37.96
29	Madaiya khurd	87.09	82.18	60.70	142.88	164.06	25.23	56.95
30	Bamora	327.57	300.32	233.69	534.01	163.02	114.34	185.98
31	Neemkheda	775.21	689.06	631.52	1320.58	170.35	625.66	63.40
32	Sunpura	309.12	285.10	235.95	521.05	168.56	6.98	278.12
33	Karaiya haveli	200.35	191.70	147.51	339.21	169.31	123.00	68.69
34	Padariya maphi	89.14	85.92	65.00	150.92	169.32	19.00	66.92
35	Base	468.12	405.06	367.52	772.56	165.03	300.93	104.12
36	Udaygiry	151.77	139.30	120.23	259.53	171.00	59.99	79.30
37	Rangai	131.44	120.50	114.00	234.50	178.41	70.00	50.50
38	Dhaniyakhedi	172.59	164.40	141.80	306.20	177.41	4.00	160.40
39	Mada	173.83	129.42	168.11	297.53	171.16	100.00	29.42
40	Bagaud	359.85	325.32	312.10	637.41	177.13	311.20	14.11
41	Bala barkheda	583.23	546.99	500.50	1047.49	179.60	464.01	82.98
42	Berkhedi	242.20	229.54	216.17	445.71	184.03	116.54	113.00
43	Vighan	100.65	96.60	94.00	190.60	189.36	53.60	43.00
44	Dakana chapana	277.67	252.71	255.25	507.96	182.94	100.00	152.71
45	vilori	203.81	181.69	196.24	377.93	185.43	40.00	141.69
46	Mudiakheda	228.07	200.40	219.10	419.50	183.94	0.00	200.40
47	Muktapur	80.98	74.89	75.55	150.44	185.77	0.00	74.89
48	Parasi khurd	141.23	134.93	131.03	265.97	188.32	50.28	84.65
49	Patharia	234.13	221.87	208.16	430.03	183.68	106.33	115.54
50	Karela	377.94	350.70	340.99	691.69	183.02	212.00	138.70
51	Silwaha	249.31	246.00	243.50	489.50	196.34	225.75	20.25
52	Sarchampa	369.98	395.59	324.36	719.95	194.60	302.11	93.48
53	Suakhedi	236.88	229.14	223.41	452.55	191.05	129.00	100.14
54	Aamkheda	183.58	178.80	182.33	361.13	196.72	100.00	78.80
55	Sayar	836.80	811.26	807.47	1618.73	193.44	620.00	191.26




Fig 2. Frequency of cropping intensity RBC command area

The cropping intensity of three villages namely, Sugnakhedi, Ratanpurgirdhari and Manchi was found very poor as shown in Fig. 2 due to rocky area, unavailability of canal water and tube wells are not successful. This all result in poor cropping intensity.

The cropping intensity of three villages namely, Nagori, Naroda and Firozpur falls in 130-140% cropping intensity range. Village Nagori is having only 54 ha net sown area in *kharif* season out of 124 ha and net sown area in *rabi* season is 110 ha (Table 3). Out of 110 ha net sown area 44 ha is irrigated from tube well. In village Naroda net sown area in *rabi* season, 68 and 71 ha is the net sown area in *kharif* season against the total cultural command area 102 ha.

The cropping intensity of eight villages namely Uneeda, Airan, Rataltai, Sanchi, Medaki, Sookhansen, Kamapar and Dargava out of surveyed 55 villages were found in the range of 140-150%. The villages namely Uneeda, Airan, Rataltai, Sanchi, Medaki, Sookhansen, Kamapar and Dargava having canal irrigated area 22, 140, 20, 37.57, 349, 60, 200.55 and 80.39 ha, respectively and tubewell irrigated area was found 29.619, 63, 277.60, 107.408, 69.7, 25.61, 33 and 38.19 ha, respectively. The *kharif* sown area in these villages was 50-78%. While the *rabi* sown area in these villages varies from 65-96%.

The cropping intensity of six villages namely Moralikhedi, Chiroli, Fatehpur, Ucher, Nonakhed and Khamkheda was found in the range of 150-160%. All these villages are having canal irrigated area of 175, 159.33, 214, 80 and 15 ha, respectively, except Moralikhedi village and tubewell irrigated area was found 270.096, 8.40, 122.66, 5.69, 19.96 and 218.55 ha, respectively. The irrigated area in these villages varies from 64-100%.

The cropping intensity of twelve villages namely Bansakheda, Gulgaonv, Madvai, Kachhikanakheda, Pipariakhurd, Madaiyakhurd, Bamora, Neemkheda, Sunpura, Karaiyahaveli, Padariyamaphi and Baise was found varying between from 160-170%. All these villages are having canal irrigated area 310.93, 24, 300, 106.75, 40.98, 25.23, 114.34, 625.65, 6.98, 123, 19 and 300.93 ha, respectively, and tubewell irrigated area was found 165, 200.03, 52.23, 90, 37.96, 56.95, 185.98, 63.40, 278.12, 68.69, 66.92 and 104.12 ha, respectively.

The cropping intensity of six villages namely Udaygiry, Rangai, Dhaniyakhedi, Mada, Bagaud and Balabarkheda was found the range from

170-180%. All these villages are having canal irrigated area that is 59.99, 70, 4, 100, 311.20 and 464.01 ha, respectively, and tubewell irrigated area was found 79.29, 50.5, 160.4, 29.42, 14.11 and 82.98 ha, respectively. Irrigated area in these villages varies from 74-100%.

The cropping intensity of nine villages namely Berkhedi, Vighan, Dakana chapana, Viloni, Mudiakheda, Muktapur, Parasikhurd, Patharia and Karela, are having from 182-189%. All these villages are having canal irrigated 116.54, 53.6, 100, 40, 0, 0, 50.28, 106.33 and 212 ha, respectively, except Viloni, Mudiakheda villages and tube well irrigated area was found 113, 43, 152.71, 141.69, 200.4, 74.89, 84.65, 115.54 and 138.7 ha, respectively.

The cropping intensity of five villages namely Silwaha, Sarchampa, Suakhedi, Aamkheda and Sayar have exceptionally very high cropping intensity i.e. 191-196%. All these villages namely are having canal irrigated area 225.74, 302.11, 129, 100 and 620 ha, respectively villages and tubewell irrigated area was found 20.253, 93.479, 100.13, 78.8 and 191.26 ha, respectively.

It is difficult to increase *kharif* sown area due to uncertainty of monsoon, excess of deficit rainfall, but it is easy to manage to take third crop as summer crop provided that there is assured irrigation. If a considerable amount of water is saved, than summer cropping is easily feasible.

### 3.5 Existing Cropping Intensity in Command Area WUA Wise

The existing cropping intensity of RBC command area was found 163%. The RBC comprises of five water user association namely Sarchampa, Ucher, Medaki, Sayar and Neemkheda whose existing cropping intensity was found 181, 149, 158, 177 and 172%, respectively, as shown in Table 4.

A detailed survey was conducted in order to know the existing condition and performance of the system. In RBC command WUA, middle reach has the highest area followed by head and tail reach. Highest total number of farmers present in marginal category was 1743 and lowest 496 were found in large category. Highest total area 3417 ha was covered by middle reach in medium category and lowest 2982 ha were covered in head reach in marginal category. The cropping intensity of the area was worked out and ranges from 115 to 196%. Similarly, existing water productivity was found to be 0.60 kg m<sup>-3</sup>.

**Table 4. Existing cropping intensity in command area WUA wise**

Area (ha)	Name of water user association					Total
	Sarchampa	Ucher	Medaki	Sayar	Neemkheda	
Cultivable command area (CCA) of WUA (ha)	1110	4320	3698	3240	2468	14836
Rabi crop season area (ha)	1087	3380	3249	2952	2243	12911
Kharif crop season area (ha)	923	3046	2591	2774	1992	11326
Total cropped area (ha)	2010	6426	5840	5726	4235	24237
<b>Cropping intensity (%)</b>	<b>181</b>	<b>149</b>	<b>158</b>	<b>177</b>	<b>172</b>	<b>163</b>

#### 4. CONCLUSION

This study was planned to assess existing water productivity and cropping intensity of the right bank canal command area of Samrat Ashok Sagar project. Enhancement in water productivity by adopting a suitable irrigation system in right bank canal command area is the need of present scenario. In view of this existing water productivity and existing cropping intensity of RBC command area was studied analyzed and it was found that the existing water productivity determined as 0.60 kg m<sup>-3</sup> and 163% was the existing cropping intensity of right bank canal command.

#### ACKNOWLEDGEMENTS

I would like to extend my sincere thanks to my advisor, Dr. S.K. Pyasi, for extending knowledge, guidance, freedom during the course this project.

#### COMPETING INTERESTS

Authors have declared that no competing interests exist.

#### REFERENCES

- Rosegrant M, Perez N. Water resources development in Africa: A review and synthesis of issues, potentials, and strategies for the future. EPTD Discussion paper 28. Washington, D.C. International Food Policy Research Institute (IFPRI); 1997.
- Ringler C, Rosegrant M, Paisner M. Irrigation and water resources in Latin America and the Caribbean: Challenges and strategies. EPTD Discussion Paper 64. Washington, D.C. International Food Policy Research Institute (IFPRI); 2000.
- Hussain I, Hanjra M. Irrigation and poverty alleviation: Review of the empirical evidence. Irrigation and Drainage. 2004; 53(1):1–15.
- Lipton M, Litchfield J, Faures JM. The effects of irrigation on poverty: A framework for analysis. Journal of Water Policy 2005;5:413-427.
- WCD. (World Commission on Dams). Dams and development: A new framework for decision making. London, UK: Earthscan Publishers; 2000.
- IEG. Water management in Agriculture: Ten years of World Bank assistance. 1994-2004. Washington D.C.: World Bank Independent Evaluation Group; 2006.
- ADB/IWMI. Pro-poor intervention strategies in irrigated agriculture in Asia; 2005. Available: <http://www.iwmi.cgiar.org/propoor/index.asp?nc=3899&id=1061&msid=235>
- Pingali PL, Hossain M, Gerpacio RV, Agricultural commercialization and farmer product choices: The case of diversification out of rice. In: Asia rice bowls: The returning crisis CAB International. New York, NY, USA; 1997.
- Bhattarai MR, Sakthivadivel Hussain I. Irrigation impacts on income inequality and poverty alleviation: Policy issues and options for improved management of irrigation system. Working Paper 39, IWMI, Colombo, Sri Lanka; 2002.
- Datt G, Ravallion M. Why have some Indian states performed better than others at reducing rural poverty? Food Consumption and Nutrition Division Discussion Paper No. 26, International Food Policy Research Institute, Washington, DC; 1997.
- Rosegrant M, Kasryno F, Perez ND, Output response to prices and public investment in agriculture: Indonesia food crops. Journal of Development Economics. 1998;55:333-352.
- Barker RC, Ringler NM, Tien Rosegrant, MW. Macro policies and investment priorities for irrigated agriculture in



- Vietnam. Comprehensive Assessment of Water Management in Agriculture. Research Report Series. 2004;6.
13. Huang Q, Dawe D, Rozelle S, Huang J, Wang J. Irrigation, poverty and inequality in rural China. Australian Journal of Agricultural and Resource Economics. 2005;49(2):159-175.
  14. Bharadwaj K. Production conditions in indian agriculture: A study based on farm management surveys. Cambridge University Press, London, 1974;10-43.
  15. Wickhami S, Kanwar JS, Irrigation water-management research – International prospective. National Seminar on Water Management. The Key to Development Agriculture, Agricole Publishing Academy, New Delhi. 1988;411-428.
  16. Anonymous. Irrigation commission, ministry of irrigation and power. New Delhi, XIX, 430 p. Abbie L, Harrison J, Wall J. 1982. Economic Return to Investment in Irrigation in India. World Bank Staff Working Paper No. 536, Washington D.C. 1972;1-43.
  17. Dhawan BD, Groundwater depletion, land degradation and irrigated agriculture in India. New Delhi: Commonwealth Publishers; 1995.
  18. Sinha. Irrigation in India: Advance in irrigation. Orlando, Academic Press, 1985; 3:1-323.
  19. Kandiah A. Water resources development policy perspectives of the food and agricultural organization, in relation of food, security. London. 1999;47-53.

© 2019 Basediya et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:  
<http://www.sdiarticle3.com/review-history/44185>*